


Expanding Horizons



www.divyapipes.com



DIVYA
I M P E X

(Govt. Recognized Export House)



ABOUT US

“Divya Impex” – A Government recognised export house operating from Ahmedabad – Gujarat, INDIA, is well known for all types of PVC Hoses, fittings, related accessories, tarpaulin & ropes etc.

Its roots come from **“Divya Group”** of Companies, which was established in the year 1988 by Mr. Deepak Panchal, who left no stone un-turned to ensure the organisation remains completely committed to its customers all the time.

Today **“Divya Impex”** is jointly managed by him and his son Mr. Rushir Panchal.

In the zest of providing excellent and unmatched services to their clients every time, a new venture under the flagship of **“Divya Group”** has been launched by the name **“JAINI IMPEX”**, which is managed and promoted by Mr. Rushir Panchal under the mentorship of Mr. Deepak Panchal.

VISION

Explore new borders and boundaries for attaining growth and great heights and also stay committed, sincere, honest and rooted towards each and every client – Existing & Potential.

MISSION

Maintain and provide International Standards for all products and services for our clients.

GLOBAL DISTRIBUTORSHIP

Divya Impex exports its products to various countries across the globe....

- | | | |
|----------------|----------------|----------------------------|
| ♦ U.A.E. | ♦ Oman | ♦ Bahrain |
| ♦ Doha | ♦ Kuwait | ♦ Yemen |
| ♦ Saudi Arabia | ♦ South Africa | ♦ West Africa |
| ♦ Canada | ♦ U.K. | ♦ Kenya |
| ♦ Sri Lanka | ♦ Mauritius | ♦ Singapore |
| ♦ Afghanistan | ♦ Tanzania | ♦ Australia & Many More... |

STRENGTH

- ♦ International Quality Standards
- ♦ Timely Shipments
- ♦ Enhanced and ensured security for clients by providing free insurance covered by reputed companies for warehouse -to-warehouse logistics


USP

- ♦ A 'One Stop Shop' for all your requirements pertaining to PVC Hose Pipes, its fittings and related accessories, Tarpulin, Ropes etc.
- ♦ Completely Customizable products

MEMBERSHIP

- ♦ Federation of Indian Export Organisations
- ♦ Gujarat Chamber of Commerce and Industry

Our Group Company :





AWARDS & ACHIEVEMENTS







Excellence Award for the Year 2008-09



Government Recognition - Year 2012

Global Distributorship for Brand





PVC SUCTION & DISCHARGE HOSE



SUMOFLEX - LIGHT DUTY SUCTION HOSE

SIZE	Wall Thickness MM	Working Pressure kg/cm ²	Brusting Pressure kg/cm ²
3/4"	1.6	5.2	17
1"	1.7	5.2	17
1.25"	1.9	4.9	15
1.5"	2.0	4.1	13
2"	2.1	3	12
2.5"	2.9	3	12
3"	3.2	2.9	11
4"	4.0	2.9	11
5"	5.5	2	8
6"	6.0	2	8

GOPIFLEX - MEDIUM DUTY SUCTION HOSE

SIZE	Wall Thickness MM	Working Pressure kg/cm ²	Brusting Pressure kg/cm ²
3/4"	1.7	5.5	18
1"	1.8	5.5	18
1.25"	2.0	5	16
1.5"	2.2	4.5	14
2"	2.6	3.5	13
2.5"	3.0	3.5	13
3"	3.6	3	12
4"	4.8	3	10
5"	5.5	2	8
6"	6.3	2	8
8"	9.0	2	8

AQUAFLEX - HEAVY DUTY SUCTION HOSE

SIZE	Wall Thickness MM	Working Pressure kg/cm ²	Brusting Pressure kg/cm ²
3/4"	2.2	7	24
1"	2.2	7	23
1.25"	2.3	6	19
1.5"	2.5	4.8	15
2"	3.0	3.8	14
2.5"	3.5	3.8	14
3"	3.9	3.2	13
4"	5.0	3.2	13
5"	6.0	2.5	9
6"	6.5	2.5	9
8"	9.0	2.5	9
10"	12.0	2	8
12"	15.0	1.5	6

FINEFLEX - SUPER HEAVY DUTY SUCTION HOSE

SIZE	Wall Thickness MM	Working Pressure kg/cm ²	Brusting Pressure kg/cm ²
3/4"	2.3	7	24
1"	2.3	7	23
1.25"	2.5	6.5	20
1.5"	2.6	5	16
2"	3.5	4	16
2.5"	4.2	4	16
3"	4.4	3.5	15
4"	5.5	3.5	11
5"	6.0	2.5	9
6"	7.0	2.5	9
8"	10.0	2.5	9
10"	15.0	2	8
12"	18.0	1.5	6


OLIVE GREEN SUCTION HOSE HEAVY DUTY

SIZE	Wall Thickness MM	Working Pressure kg/cm ²	Brusting Pressure kg/cm ²
1"	3.0	8	25
1.25"	3.2	7	21
1.5"	4.0	5.5	18
2"	4.8	4.5	18
2.5"	5.0	4.5	18
3"	5.5	4.5	18
4"	6.5	4	14
6"	8.0	2.5	9
8"	10.0	2.5	9
10"	15.0	2	8
12"	18.0	1.5	6

DISTINCTIVE FEATURES

100% PVC Construction.

Can be used at most awkward curves & bends without any stiffness. Meticulous spiral reinforcement made from rigid Pvc in soft Pvc wall ensures high impact, crushing & kinking resistance as well great flexibility.



GREY SUCTION HOSE - HEAVY DUTY

SIZE	Wall Thickness MM	Working Pressure kg/cm2	Brusting Pressure kg/cm2
3/4"	3.0	10	30
1"	3.0	8	25
1.25"	3.5	7	21
1.5"	4.1	5.5	18
2"	5.0	4.5	18
2.5"	5.5	4.5	18
3"	5.5	4.5	18
4"	6.5	4	14
5"	7.0	3	10
6"	8.5	2.5	9
8"	10.6	2.5	9
10"	15.0	2	8
12"	18.0	1.5	6

BLUE OIL HOSE HEAVY DUTY


SIZE	Wall Thickness MM	Working Pressure kg/cm2	Brusting Pressure kg/cm2
3/4"	3.0	10	30
1"	3.0	8	25
1.25"	3.5	7	21
1.5"	4.1	5.5	18
2"	5.0	4.5	18
2.5"	5.5	4.5	18
3"	5.5	4.5	18
4"	6.5	4	14
5"	7.0	3	10
6"	8.5	2.5	9
8"	10.6	2.5	9
10"	15.0	2	8

DUCT HOSE - GREY-HEAVY DUTY

SIZE	Wall Thickness MM	Working Pressure kg/cm2	Brusting Pressure kg/cm2
3/4"	3.8	3.75	20
1"	3.5	3.75	16
1.25"	3.4	3.5	13
1.5"	3.5	3.1	10
2"	3.2	2.6	8
2.5"	4.0	1.5	5
3"	3.5	1.5	4
4"	3.9	1	4.2
5"	4.1	0.7	3.5
6"	4.3	0.6	2.8
8"	5.0	0.5	2
10"	5.5	0.3	2
12"	6.0	0.25	2

GIRT HOSE -CLEAR

SIZE	Wall Thickness MM		Working Pressure kg/cm2	Brusting Pressure kg/cm2
	Soft	Total		
2"	4.0	7	4.5	18
2.5"	4.5	7	4.5	18
3"	5.0	8	4.5	18
4"	6.0	10	4	14
6"	8.0	12	2.5	9



GENERAL APPLICABILITY OF "DIVYA" PRODUCTS RANGES :


- ♦ Multi purpose suction & Delivery of water
- ♦ Diesel oil, Mineral oil, Light chemicals conveying
- ♦ Construction Mining
- ♦ Light application for oil suction
- ♦ Light dredge suction, moderate vacuum service, General suction
- ♦ Dust control, air-conditioning and ventilation ducting
- ♦ vacuum and abrasive dust handling
- ♦ Industrial uses | Gardening uses
- ♦ Material handling | Grain handling
- ♦ Vapor recovery and many more...

Recommended Maximum working Temperature : 60°C
The Technical Specifications mentioned are on approximate basis. + - variations are possible.





PVC REINFORCED HOSE



EUROLON- REINFORCED HOSE

SIZE	Wall Thickness MM	Working Pressure kg/cm ²
1/2"	1.6	7
3/4"	2.2	7
1"	2.7	5

MRV- REINFORCED HOSE

SIZE	Wall Thickness MM	Working Pressure kg/cm ²
1/2"	2.3	14
3/4"	2.9	14
1"	3.6	11
1.25"	3.7	11
1.5"	3.6	11
2"	4.0	7

FINEFLOW REINFORCED HOSE

SIZE	Wall Thickness MM	Working Pressure kg/cm ²
1/4"	2.5	25
5/16"	2.5	20
3/8"	2.8	20
1/2"	2.8	16
5/8"	2.6	15
3/4"	3.4	17
1"	4.0	12.5
1.25"	4.2	13
1.5"	4.0	12
2"	5.0	8.5

PREMIUM REINFORCED HOSE

SIZE	Wall Thickness MM	Working Pressure kg/cm ²
3/16"	2.5	30
1/4"	3.0	30
5/16"	3.0	25
3/8"	3.5	25
1/2"	3.5	20
5/8"	3.5	20
3/4"	4.0	20
1"	4.8	15
1.25"	4.8	15
1.5"	5.0	15
2"	6.0	10

YELLOW / BLACK GARDEN HOSE

SIZE	Wall Thickness MM	Working Pressure kg/cm ²
1/2"	1.7	7
3/4"	2.2	7
1"	2.8	5

GREEN / BLACK GARDEN HOSE

SIZE	Wall Thickness MM	Working Pressure kg/cm ²
1/2"	1.7	7
3/4"	2.2	7
1"	2.8	5

YELLOW / WHITE GARDEN HOSE

SIZE	Wall Thickness MM	Working Pressure kg/cm ²
1/2"	1.7	7
3/4"	2.2	7
1"	2.8	5

PREMIUM WELDING HOSE (RED/BLUE)

SIZE	Wall Thickness MM	Working Pressure kg/cm ²
5/16"	3.0	25
3/8"	3.5	25


PREMIUM ROCK DRILL HOSE

SIZE	Wall Thickness MM	Working Pressure kg/cm ²
3/4"	4.5	20
1"	4.8	15

PREMIUM CAR WASHING HOSE

SIZE	Wall Thickness MM	Working Pressure kg/cm ²
8 mm (5/16")	4.0	40
10 mm (3/8")	5.0	40
12 mm (1/2")	5.5	30

PVC LEVEL PIPE | CLEAR TUBING | GARDEN HOSE | ACRYLIC PIPES



PVC LEVEL PIPE	
SIZE	Wall Thickness MM
6 mm	1mm
8 mm	1mm
10 mm	1mm




PVC CLEAR TUBING HOSE	
SIZE	Wall Thickness MM
4 mm	1
5 mm	1
6 mm	2.0
8 mm	2.0
10 mm	3.0
12 mm	3.0

PVC CLEAR TUBING HOSE	
SIZE	Wall Thickness MM
16 mm	3.0
19 mm	3.5
25 mm	3.5
31 mm	2.5
40 mm	2.5



PVC YELLOW LINING HOSE	
SIZE	Wall Thickness MM
1/2"	2.0
3/4"	2.0
1"	2.0



GENERAL APPLICABILITY OF "DIVYA" REINFORCED HOSES:

- ♦ Gardening uses
- ♦ Compressed air applications
- ♦ Industrial uses
- ♦ Pneumatic applications
- ♦ Construction
- ♦ Automobile services & Garage applications
- ♦ Welding Applications
- ♦ Mining & Rock Drilling
- ♦ Agricultural spraying such as insecticides, fertilizers & water
- ♦ Light application for oil suction
- ♦ Pest control
- ♦ Diesel oil, Mineral Oil, Light chemicals conveying

Crystal Clear Acrylic Pipes : Available in all Sizes

DISTINCTIVE FEATURES :

- ♦ Open mesh nylon braiding encapsulated between walls of Pvc Tubing to become one hose
- ♦ Offers higher pressure capabilities than other hoses
- ♦ Crystal clear compound provides full visual flow
- ♦ Mirror smooth interior permits outstanding flow characteristics
- ♦ Corrosion & abrasion resistant with flexibility similar to rubber but with much longer life & lighter weight

PROVEN BEST IN

- ♦ Rock Drill Heavy Duty Hose is being widely used with jack Hammers in Quarries and Mines
- ♦ Welding Hose is a well accepted one in all kind of Gas welding applications
- ♦ Agricultural Pesticides, Insecticides are being handled by SUPER SPRAY YELLOW HOSE
- ♦ Pneumatic hoses are excellent in working with all kind of compressors and other pneumatic equipment
- ♦ Braided Garden hoses are ideal for all gardening & water delivery purpose
- ♦ Car Washing hoses are identically serving needs of all vehicle washing and garage applications

Recommended Maximum working Temperature : 60°C
The Technical Specifications mentioned are on approximate basis. + - variations are possible.





P. P. FITTINGS



P. P. Foot Valve - Red



P. P. Foot Valve Bolted - Green



P. P. Hose Coller



P. P. Hose Connector




P. P. Tank Jointer



P. P. Couplings




O-Rings | Check Valve | Air Cocks



Coupling Elements



ALUMINIUM | C. I. FITTINGS



Aluminium Hose Coupling



Aluminium Hose Collar



Aluminium Hose Connector



G. I. King Nipple | Hose Connector




C. I. Foot Valve (Threaded / Flanged)



C. I. Hose Collar | Connector



Pulley (C. I. / Aluminium)



C. I. Flexible Couplings



BRASS FITTINGS




Brass Hose Coller (O/T, I/T)



Brass Hose Connector / Jointer



Brass Hex Nipple



Brass Bushes | Socket | M/F Adaptor



Brass Tank Connector



Brass Elbow | Tee



Brass Grease Nipple



Brass Hinges | Tower Bolt | Turn button



OTHERS : **TARPAULINS | ROPES | CABLES ...**



Tarpaulins | Shed Net | Mosquitos Net



Ropes



Cables



M. S. Wire Nails



Hose Clamps | Rubber Mounting

Our **Footprints**

U.A.E. | Oman | Bahrain | Doha | Kuwait | Yemen | Saudi Arabia | South Africa
West Africa | Canada | U.K. | Kenya | Sri Lanka | Mauritius | Singapore
Afghanistan | Tanzania | Australia



The colours displayed in the pictures used in this brochure may vary to some extent in the actual products. Company reserve rights to change any technical specifications / colour without period notice.

Segment we Serve in **Various Industries**



Agriculture



Infrastructure & Constructions



Oil and Gas Industry



Water Treatment



Cooling Power Industry



Plastic Manufacturing



Food & Beverages



Engineering Machinery



Chemical



Metal and Mining



DIVYA
I M P E X

(Govt. Recognized Export House)

202, Wall Street-I, Opp. Orient Club, Ellisbridge, Ahmedabad-38006. Gujarat. India.

Ph. : +91-79-2644 0978 | Fax : +91-79-2644 0857

Cell : +91-98250 90783 | +91-98798 35272

E-mail : div_panchal@sify.com | info@divyapipes.com

Web : www.divyapipes.com